CHRONO MOD®

DEPTMASTER

USER GUIDE

Automatic diver, 10 ATM




CHRONO MOD
22
AUTOMATIC
WATER RESISTANT
10BAR/100M
JAPAN
MOVT
50
10
40
20
30

WELCOME

ASSEMBLED BY HAND. BUILT JUST FOR YOU.

Your DeptMaster was assembled by hand, piece by piece, to the configuration you chose.

This booklet is written for this watch alone: its crown, its calibre, its rotating bezel, what it can take in water and how to care for it.

For any question, the workshop answers at contact@chrono-mod.com.

The Chrono Mod workshop

CONTENTS

01	Your DeptMaster in detail	4
02	Setting the time and date	6
03	Timing with the bezel	8
04	Water	9
05	Bracelet and care	10
06	Specifications	11
07	Warranty	12

01 Your DeptMaster in detail

40 mm diver in 316L steel or grade 2 titanium, solid steel case back, unidirectional bezel with ceramic insert. NH35 automatic calibre with date.

1. **Triangle marker**: set it opposite the minute hand when you start timing.
2. **Date window.**
3. **Screw-down crown**: three positions, winding, date, time.
4. **Bracelet or strap**, depending on your build.
5. Hour **markers**.
6. Hour and minute **hands**.
7. **Unidirectional rotating bezel**, ceramic insert, graduated over 60 minutes.

40	10	NH35
MM	ATM	CALIBRE


1
2
3
4
5
6
7
CHRONO MOD
22
AUTOMATIC
WATER RESISTANT
10BAR/100M
JAPAN
MOVT
60
40
20
30

02 SETTING YOUR DEPTMASTER

The crown



0
Against the case, screwed down: wearing and winding

1
One click: the date

2
Two clicks: the time; the seconds hand stops

UNSCREW, SCREW BACK

Before any setting, unscrew the crown (towards you) until it springs free: it is then in position 0.

Afterwards, push it back against the case and screw it fully down, without forcing. Left unscrewed, it no longer keeps water out.

WINDING BY HAND

When worn, your DeptMaster winds itself with the motion of your wrist. Stopped: crown unscrewed, in position 0, 20 to 30 turns clockwise, then wear it. A full wind takes at least 55 turns. Power reserve: about 41 hours.

TIME AND DATE, STEP BY STEP

NH35 calibre · date

1. Unscrew the crown, pull it to position 2 and bring the hands to 6 o'clock: from 9 pm to 4 am, the date mechanism is engaged.
2. Push the crown in to position 1. Turn it counter-clockwise to yesterday's date.
3. Pull the crown to position 2 and move the hands forward: the date changes at midnight. Carry on to the exact time, morning or afternoon.
4. Push the crown back against the case and screw it fully down.

END OF THE MONTH

The date counts 31 days. After a shorter month, advance it by one on the 1st (position 1, outside 9 pm to 4 am).



Recommended start: 6 o'clock

03 TIMING WITH THE BEZEL

Unidirectional bezel · 60 minutes



Dashed: the minute hand at the start, opposite the triangle, then 20 minutes later

1. At the start, turn the bezel counter-clockwise, the only way it turns, until the triangle sits opposite the minute hand.
2. Time passes: the minute hand moves along the bezel scale.
3. Read the elapsed time opposite the minute hand: here, 20 minutes.

WHY ONLY ONE WAY

If knocked, the bezel can only turn the way that lengthens the time shown: you think more time has passed, never less. A swim, cooking, parking. Not for scuba diving: see page 9.

04 WATER: WHAT YOUR DEPTMASTER CAN TAKE

10 ATM

100 m

CLOSED STEEL CASE BACK

Rain, splashes, washing hands	YES
Swimming at the surface, crown screwed down	YES
Scuba diving	NO
Hot shower, sauna: steam gets past the gaskets	NO

Crown screwed fully down before water. After salt water, rinse with fresh water.

05 BRACELET AND CARE

YOUR BRACELET

If you gave us your wrist size before assembly, the bracelet is already sized: the links removed are tucked into the box, with the sizing tool.

On a steel bracelet, the clasp closes in two moves: the blade folds under the cover and the two ends meet, then your thumb folds the polished cover over and clips it shut.

To change the strap: a spring-bar tool, and a 20 mm strap, the width between the lugs of your DeptMaster. Unsure how to adjust it? The workshop will do it: write to us.

CARE

Avoid shocks and magnets (speakers, magnetic clasps, phone cases). A magnetised watch runs wrong: a watchmaker demagnetises it in a minute.

Soft cloth; lukewarm soapy water on steel or rubber, never on leather.

After salt water, rinse with fresh water, crown screwed down.

IN THE BOX *Your watch, its presentation box, the bracelet sizing tool and this booklet.*

06 SPECIFICATIONS



CASE	40 mm, 316L steel or grade 2 titanium
DIAL	28.5 mm
LUG WIDTH	20 mm
CASE BACK	solid steel
BEZEL	unidirectional rotating, ceramic insert, 60 minutes
WATER RESISTANCE	10 ATM (100 m), in steel and in titanium
MOVEMENT	NH35, automatic, date
POWER RESERVE	about 41 hours; full wind in at least 55 turns
CROWN	screw-down
WARRANTY	2 years on the movement

07 · WARRANTY AND SUPPORT

YOUR WARRANTY

2-year movement warranty, from the day you receive the watch. Straps, bracelets, clasps and spring bars, shocks and wear are not covered. Your statutory rights (legal guarantee of conformity) apply in addition.

A problem? Write to contact@chrono-mod.com with your order number and a photo. Before having your watch opened by a watchmaker, write to us. Full terms: chrono-mod.com/pages/warranty.

Full terms
chrono-mod.com/pages/warranty

CHRONO MOD®

ASSEMBLED BY HAND. BUILT JUST FOR YOU.

CONTACT@CHRONO-MOD.COM · CHRONO-MOD.COM